

## **Historic, Archive Document**

Do not assume content reflects current scientific knowledge, policies, or practices.



WAPATO DUCK POTATO 200 or more 1c ea.: 1000- \$9  
(Regularly 100-\$1.75; 1000-\$12)  
FANCY WILD RICE for Eating, \$1 lb.: 5 lbs. \$4.50  
NOW REDUCED to 75c lb.: 5 lbs. \$3. Postpaid with  
recipes. W. of Rockies add 8c lb. postage.

## TERRELL'S AQUATIC NURSERIES

CLYDE B. TERRELL, Proprietor  
Oshkosh, Wisconsin, U. S. A.

Specialists in Plants, Shrubs, Trees and Vines  
That Attract All Kinds of Birds, Game, Muskrats  
and Fish. Water and Bog Plants. Trees and Shrubs  
for Shoreline Planting. Ornamental Water and Up-  
land Plants, Trees, Shrubs and Vines.

Write Us If You Do Not Find What You Want  
On Our List. Terrell's Hardy Northern Grow-  
Plants Succeed in North or South.

**FIRST COME FIRST SERVED!!** It is our rule to  
fill orders in turn as they are received and paid.  
To avoid disappointment, and get advantage of  
lowest prices, order now. Shipment made when  
material is in the best condition and at the prop-  
er time for planting in your locality, (See table  
"When to Plant" on opposite side.)

**MORE FOOD—MORE GAME.** You will  
usually get as many ducks, fish or game as you  
provide food for. Plant liberally and give your  
plantings every chance to prove successful, and  
accomplish your purpose.

**REFERENCES.** Oshkosh National Bank, Osh-  
kosh, Wis.; First National Bank, Oshkosh,  
Wis.; Dun & Bradstreet's Mercantile Reference  
Book. (Ask your banker.)

**SHIPMENTS.** Second class Express rates, 25%  
lower than first class, are secured on planting  
material. If you have no express office, we can  
ship Parcel Post. If you wish shipments sent  
Parcel Post, or to Foreign Countries, forward  
ample money to cover transportation charges.  
**GUARANTEE.** If any of our planting ma-  
terials fail to produce what the purchaser con-  
siders a satisfactory growth after giving planting  
sufficient time to establish itself, we GUARAN-  
TEE to replace it at half price, or send an equal  
value at half price of other planting material se-  
lected from our current price list.

### TERMS.

500 will be sold at 1,000 price; 50 at 100 price,  
6 at 12 price, 5 at 10 price, less than 5 at twice  
10 price each, except on special collections, or  
where otherwise stated. This applies whether  
sold at price per plant, per pound, ounce,  
bushel or peck.

Prices are F.O.B., Oshkosh, or other shipping  
points, unless otherwise stated. If Parcel Post  
shipment is desired, be sure to include with  
your remittance sufficient amount to pay  
charges, otherwise balance will be collected  
C. O. D.

Cash with Order or C.O.D. if desired. 2%  
Discount for Cash with Order. Prices subject  
to change without notice.

### PRICES OF PLANTS DESCRIBED ON OTHER SIDE

The following planting material will be fur-  
nished when in the best condition, at the best  
time for planting in your locality. (See "When  
to Plant" in Table on other side.) Complete  
planting instructions sent with all orders.

#### 1. BULRUSHES (*Scirpus*) Roots

1A. GREAT BULRUSH ( <i>Scirpus occidentalis</i> )	1000	100	10
	\$30	\$4	\$1
1B. RIVER BULRUSH ( <i>Scirpus fluviatilis</i> )	\$40	\$5	\$1
1C. THREE-SQUARE ( <i>Scirpus americanus</i> )	\$60	\$8	\$1.50

Best bulrush for duck and muskrat food and  
cover.

2. BUR REED (*Sparganium eurycarpum*)  
Thrifty Roots or Plants, 1000—\$30; 300—\$10;  
100—\$4; 12—\$1.50. Seed, per lb. \$1; 10 lbs. \$7;  
25 lbs. \$15.

3. CAT TAIL (*Typha latifolia*) Roots or plants  
1000—\$30; 100—\$4; 12—\$1.50; 3 for 50c. Seed  
\$1.50 lb.; 25 lbs. or more \$1 lb.

4. CHUFA, NUT GRASS (*Cyperus esculentus*)  
Tubers. Qt. \$1. Postpaid. Pk. \$4; Bu. \$12.

5. COONTAIL (*Ceratophyllum demersum*).  
Plants. June-July delivery Bu. \$3; Pk. \$1.50;  
5 Bu. or more \$2.50 bu.

6. DUCK'S MEAT (A) Submerged Floating  
Variety (*Lemna trisulca*), or (B) Surface  
Floating Variety (*Spirodela polyrhiza*).

DELIVERY ON WILD RICE SEED & WILD DUCK MILLET, MARCH 15%  
Delivery June 15 to Oct. 15. Bu. \$3; 5 Bu.  
or more \$2.50 bu.

7. DUCK WHEAT, GOOSE BUCKWHEAT, Seed  
100 lbs. or more 9c lb.; 50 lbs. \$5; smaller lots  
15c lb., 27c lb. postpaid.

8. EEL GRASS (*Zostera marina*) For salt  
water. Roots, Bu. \$20.; 5 Bu. or more \$15. Bu.  
Cannot furnish less than 1 bu.

9. IRIS. SIBERIAN IRIS, Blue.  
BLUE WATER IRIS, either variety, 100  
roots \$8.00; 10 for \$1.25.

10. MARSH MALLOW (*Hibiscus Moscheutos*).  
Has red, white or pink flowers 4 to 7 inches  
across. Blooms Aug.-Sept. Seeds eaten by Mal-  
lards and other ducks. Grows on damp soil,  
marsh, or at edge of water. Strong roots for  
spring planting. 1000—\$50; 100—\$10; 10—  
\$1.50. Extra heavy stock, 100—\$20; 12—\$3.

11. MUSK GRASS, (*Chara* sp.) Plants with  
oogonia (seed spores) Bu.—\$4; 10 Bu. or more  
\$35. Bu.; Peck—\$1.50. Fall delivery.

12. NAJAS; BUSHY POND WEED (*Najas flexilis*)  
plants covered with mature seeds. Late summer or  
fall delivery. Bu. \$7; 5 bu. or more \$6 bu.

12A. SOUTHERN NAJAS (*Najas guadalupensis*)  
plants. Bu. \$7; 5 bu. \$30; 25 bu. \$125.

12B. NUTTALL'S PONDWEED (*Potamogeton epi-  
hydrus*) plants, 1000—\$60; 300—\$22; 100—\$7.50.

13. PICKEREL PLANT—(*Pontederia cordata*).  
Plants 100—\$12.50; 12—\$1.75; 1000—\$100.00.

15. REDHEAD GRASS (*Potamogeton (Richard-  
sonii)*) Roots, or plants 1000—\$45; 100—\$7;  
12—\$1; 3 for 50c.

16. REED GRASS, (*Phragmites communis*)  
Roots. 1000—\$30; 300—\$10; 100—\$5.

17. SAGO POND PLANT. (*Potamogeton pectinatus*)  
Tubers or plants. 1000—\$18; 100—\$2.50; 25—\$1.

18. SMARTWEED (*Polygonum* sp.). To get  
best and quickest results, plant the plants dur-  
ing the spring. Strong, vigorous plants.

18(A) SMARTWEED—(Assorted) 1000 100 10  
\$15 \$2 \$1

18(B) SMARTWEED (Annual)  
(*Polygonum hydropiper*) \$15 \$2 \$1

18(C) WATER SMARTWEED (Perennial)  
(*Polygonum amphibium* var.  
emersum) \$50 \$7 \$1.50

18(D) SMARTWEED SEED. Chiefly Pennsylvania  
Smartweed (*Polygonum pennsylvanicum*) and  
Lady's Thumb (*Polygonum Persicaria*) (An-  
nual) Smartweed seeds do not germinate well,  
so are only furnished on request. 25c per lb.;  
10 lbs. or more 20c per lb.; 100 lbs.—\$19.

22. WAMPEE or DUCK CORN (*Peltandra vir-  
ginica*). Strong plants, sure to grow, 1000—  
\$65; 100—\$7.50. Seed 10 lbs. \$6.50; small lots  
75c per lb.

22 (B). DEEP WATER DUCK POTATO (*Sagit-  
taria rigida*). A splendid attraction for Blue-  
bills and other ducks that love the tender tubers  
this plant produces. Plant where water one to  
three feet deep in ponds, lakes or bays along  
streams and rivers. Strong, sure-growing  
young plants or tubers that produce the best  
results, 1000—\$18; 300—\$6.25; 100—\$2.25.

23. WAPATO DUCK POTATO, MUSKRAT POTATO.  
(*Sagittaria latifolia*). Tubers, 1000—\$12; 300—  
\$4.50; 100—\$1.75; 25—\$1.

24. WATER CRESS (GENUINE) (*S. nasturtium  
aquaticum*) Plants, 1000—\$25; 300 or more \$3  
per 100; 100—\$3.50; 12—\$1. Seed \$7.50 lb.;  
2 oz. \$1 postpaid.

### WATER LILIES

25. AMERICAN LOTUS WATER LILY (*Nelumbo  
lutea*) Rare, beautiful plant. Creamy yellow  
flowers 8 or 10 inches across. Seeds eaten by  
ducks. Adapted to lakes, ponds, and sloughs,  
along rivers. Grown in tubs. Seed, 15 lbs.  
or more (enough to properly seed a lake or slough)  
Lotus seed ordinarily may lay dormant for years  
before germinating. Terrell's is treated to in-  
sure quick germination. Treated Seed \$1.50 per  
lb.; \$1.62 per lb.; Untreated Seed 80c per lb.,  
postpaid. Started seedlings, strong and thrifty,  
1000—\$100; 100—\$12.50; 10—\$1.75; 20c each.  
Strong Thrifty Tubers \$1.50 each; 5 for \$6.25.

BANANA WATER LILY Plants (*Mexicana*).  
Excellent duck food for South. Delivery now  
or later. Numerous attractive lemon-yellow  
flowers. 100—\$18; 1,000—\$125.

26. WHITE WATER LILY (*Castalia tuberosa*).  
White, sweet scented blossoms. Big bass lurk  
around lily pads. Tubers 100—\$6; 12—\$1.  
Extra large tubers with strong growing points.  
produce quick results, \$15 per 100; 12—\$2.50.

27. YELLOW WATER LILY OR SPATTERDOCK  
(*Nuphar advena*) Deer and moose food. Seeds

WILD DUCK MILLET, MARCH 15%  
eaten by ducks. Yellow flowers. Good fish  
cover. Large Tubers with strong growing points  
100—\$15; 12—\$2.50; 4 for \$1. Seed \$2 lb.

29 (a) WATER SHIELD (*Brazenia Schreberi*).  
Important food for Mallards, Black Ducks,  
Bluebills, Teal, Pintails and Wood Ducks.  
Produces Fish food and cover. Prefers 1 to 6  
ft. acid or neutral water. Round floating leaves  
2 in. across. Spread by runners and seed.  
Grows from Hudson Bay to Florida. Plants  
1000—\$80; 100—\$12; 10—\$2.

29. WATER MILFOIL (*Myriophyllum* sp.)  
Plants, Bu. \$4; 10 Bu. or more \$3 Bu.

30. WATER WEED, ELODEA (*Philotria cana-  
densis*) Plants, Bu. \$4; 5 Bu. or more \$3 Bu.

31. WIDGEON GRASS (*Ruppia* sp.) Plants with  
ripe seeds. Fall. \$7.50 bu.; 5 bu. \$35. Roots or  
plants for transplanting. Spring. Bu. \$10.  
Cannot furnish less than 1 bu.

32. WILD CELERY (*Vallisneria spiralis*) Win-  
terbuds or plants. 3000 or more—\$13 per 1000;  
1000—\$14; 300—\$4.50; 100—\$1.75; 25—\$1. Seed  
100 lbs. or more 50c lb.; 10 lbs. or more 65c  
lb.; smaller lots at 75c per lb.

33. WILD DUCK MILLET (GOOSE GRASS).  
(*Echinochloa crus-galli*). Seed 100 lbs.—\$10.50;  
25 lbs.—\$3; smaller lots 15c lb.

34. GIANT WILD RICE SEED. Sure-growing.  
Larger grain, makes more feed. Requires less  
seed. 30 lbs. or 1 bu. \$15; 5 bu. \$14.50 bu.; peck  
or 7½ lbs. \$4.50; smaller lots 65c qt. or 77c qt.  
prepaid. Fall or Spring delivery. Plants—May  
delivery 1000—\$12; 100—\$1.85.

### TREES AND MISCELLANEOUS

34. (A) WILD RICE PREPARED FOR TABLE  
Use. *Natures Health Food*. Different, delicious,  
nutty flavor. 15 servings to the pound. (A)  
Fancy parched grade. Price delivered, in  
U.S.A \$1 per lb.; 5 lbs. or more 90c lb.

35. WILLOWS (*Salix*). Keep trout streams  
shaded, cool — furnish shelter and insect food.  
Plant cuttings by shoving into soil. Fast-  
growing. Hardy.

GOLDEN WEeping WILLOW (*Niobe*)  
1000 100 10  
(*S. vitellina pendula*) Cuttings \$30 \$4 \$1

Assorted cuttings same price.

Golden bark TREES, 2 to 4 ft. \$130 \$19 \$2.50  
We feel the above variety is the hardiest  
and best. Order early, because of heavy  
demand it may be sold out later.

Pussy WILLOW (*Discolor*) 2'-4' \$130 \$19 \$2.50

36. WILD GRAPES (*Vitis*). Make excellent  
food, nesting sites and protective cover for  
Wild Ducks, Quail, Pheasants, Prairie Chickens  
and Song Birds. Good for wine or jelly.

BETA GRAPE. Hardy, 1000 100 10  
Vigorous Vines \$150 \$12 \$1.50

FROST GRAPE (*V. cordifolia*). Holds grapes  
in winter making bird food at time much needed.  
Very Hardy.

VINES, 1 yr. . . \$ 85 \$12 \$1.50  
2 yr. . . \$150 \$20 \$3.00

AMERICAN MOUNTAIN ASH (*Sorbus ameri-  
cana*). Fast-growing ornamental shade tree,  
suitable northern states and mountains, cool,  
moist regions; any soil. Ruffed grouse and song  
birds eat the bright, red berries in fall and  
winter. Hardy 3 to 4 ft. trees, 3 for \$1.50;  
10—\$4.50; 30—\$12; 100—\$35.

CHINESE ELM. Grows twice as fast as Am.  
Elm. Hardy throughout U. S. Any soil. Hardy  
2 to 3 ft. trees, 3 for \$1; 10—\$2; 100—\$12;  
1,000—\$70.

SWEET FLAG (*Acorus calamus*). Grows  
in swamps and streams, through Eastern U.S.  
Water loving plant growing in damp soil or  
shallow waters. Ornamental plant for borders.  
Excellent natural food for muskrats. Roots  
for spring and early summer planting 1000 for  
\$30; 100 for \$4. Seed \$1—lb.

SPARTINA OR CORD GRASS (*Spartina michaux-  
iana*). Produces excellent cover for wild ducks  
and other waterfowl; also makes blinds; fur-  
nishes some food for ducks. Grows well in  
marshy meadows, salt marshes, along banks.  
Plant 1500 young plants or roots during spring  
or early summer. Strong, sure-growing roots  
or plants 1000—\$30; 300—\$11; 100—\$4.

BUTTON BUSH (*Cephalanthus occidentalis*).  
Very good duck food especially for Mallards,  
which eat the seeds. Has pretty, white, ball-  
like flowers in summer. Likes low moist  
grounds, swamps or the waterside.

	1000	100	10	1
	Ea.	Ea.	Ea.	Ea.
1'—1½'	15c	20c	30c	35c
1½'—2'	35c	40c	60c	75c

Information at a Glance About Plants for Attracting Birds, Game and Fish, Ornamental Water Plants.

COMPILED BY CLYDE B. TERRELL. NATURALIST & AQUATIC BIOLOGIST, OSHKOSH, WIS., U. S. A.

Plants for Various Conditions and Uses EXPLANATION	THE PLANT—It's Value, Uses and Description	WHERE TO PLANT (In Fresh Water when not specified)	WHAT TO PLANT	WHEN TO PLANT		Quantity to Plant per Acre
				North U. S. Canada, etc.	South U. S. Mexico, etc.	
Numbers refer to plants numbered in table. When number is preceded by *, plant is especially good for purpose named. It is understood that plants named below are suitable providing other conditions are favorable. (See Conditions, Uses and Where to Plant).	1. BULRUSH ( <i>Scirpus sp.</i> )—Cover and food for ducks. Blinds. 5 ft. high. Ornamental.	1 to 4 feet water—rich or sandy soil.	Roots	Apr. 1 to July 15	Apr. 1 to July 15	1000
	2. BUR REED ( <i>Sparganium sp.</i> )—Large seeds, excellent duck food. Odd ornamental plant.	Marshy, muddy spots or 1 ft. water.	Plants Seed	Apr 15 to Aug. 1 Fall—Spring	Apr 15 to Aug. 1 Fall—Spring	1000 10 Lbs.
	3. CAT-TAIL ( <i>Typha latifolia</i> )—Attractive ornamental. Wildfowl cover. Blinds. Muskrat food.	Marshy, muddy or sandy spots. 1 ft. water.	Roots or Plants	Apr. 1 to July 1	Apr. 1 to July 1	1500
USES Food Plants for Attracting Wild Ducks & Waterfowl. *1,*2,*3,*6A,*6B,*7,*8,*10,*11,*12,13,*14,*15,*17,*18,20,22,*23,*24,25,26,*27,*28,*29,30,*31,*32,*33,*34. Cover and Nesting Places for Waterfowl *1,*2,*3,*7,10,13,*16,18,20,22,23,25,*33,*34,*35. Food, Cover and Nesting Places for Quail, Pheasants and Grouse. *4,*7,*18,*33,35. Food Producing and Shelter Plants for Fish. *1,*5,*6A,*6B,*8,*11,*12,13,*14,*15,*17,*24,*25,*26,*27,*28,*29,*30,31,*32,*34,*35. Aquarium Plants. *5,*6A,*6B,11,12,*15,17,*23,24,25,26,27,28,29,*30,*32. Muskrat Food and Cover. 1,*3,13,22,*23,25,26,*27,32,33,*34. Food for Waterfowl Farms. *4,*5,6A,6B,*7,*11,*12,*17,18,*24,*30,*33,34. Plants for Blinds. 1,*2,*3,*16,33,*34,*35. Ornamental Plants. 1,*2,*3,*9,10,10A,*13,18,*20,*21,*22,*23,*24,*25,*26,27,*28,33,*34,*35. Trees for Moist Soil *35B,*35C.	4. CHUFA; NUTGRASS ( <i>Cyperus esculentus</i> ).—Produces abundant nutlike tubers making good food for doves and quail, specially good for wildfowl if ground is flooded. Rapid grower and abundant food producer.	Dry land. For quail—doves, plow up tubers or let hogs root up. For ducks, land flooded in fall.	Tubers	Apr. 1 to June 15	Feb. 1 to July 1	1 Bu.
	5. COONTAIL ( <i>Ceratophyllum demersum</i> )—Submerged floating food plant for waterfowl and fish.	Still water. Any kind of bottom.	Plants (A) Plants <i>Lemna trisulca</i> (B) Plants <i>Spirodela</i>	Apr. 1 to Nov. 15 June 1 to Oct. 15 June 15 to Oct. 15	April 1 to Nov. 15 June 1 to Nov. 1 June 15 to Oct. 15	10 to 15 Bu. 10 to 15 Bu. 5 Bu.
	6. DUCK'S MEAT; DUCKWEEDS ( <i>Lemnaceae</i> )—Attracts both wild ducks and fish. Plants 1/8 to 1/4 inch wide, floating in masses. Entire plant eaten.	Small, quiet ponds, ditches or bays. Any bottom. <i>Lemna trisulca</i> shallow water, <i>Spirodela</i> any depth.	Seed	May 1 to July 1	Mar. 15 to Aug. 1	50 Lbs.
7. DUCK WHEAT; GOOSE BUCKWHEAT ( <i>Fagopyrum sp.</i> )—Wildfowl, Quail, Dove, Pheasant Food. Cover. Weed destroyer. Matures 11 wks.	8. EEL GRASS ( <i>Zostera marina</i> )—Good duck and brant attraction for salt water.	Almost any drained soil. Moist cool climate.	Plants or Roots	Apr. 15 to July 15	Apr. 1 to July 15	3 Bu.
	9. IRIS SP. Attractive flowers—various colors Perennial. (Price list describes varieties).	See price list. Fine for borders or clumps.	Plants or Roots	Apr. 15 to Oct. 20	March 1 to Nov. 1	1/2 to 2 ft. apart.
	10. MARSH MALLOW ( <i>Hibiscus Moscheutos</i> )—Duck food. Ornamental. Magnificent pink flowers 6 in. across	Damp places; waters edge. In garden if water often.	Roots or Plants	Apr. 15 to June 15	Apr. 15 to June 15	3 to 5 ft. Apart
10A. MARSH MARIGOLD ( <i>Caltha palustris</i> )—Ornamental. 1 ft. high. Masses gold-colored flowers, blooming in early spring. Leaves cooked as greens.	11. MUSKGRASS ( <i>Chara sp.</i> )—Attracts wild ducks. Recommended for fish ponds. Rapid grower.	Damp meadows; waters edge. Gardens, if water often.	Plants	Apr. 15 to June 15	Apr. 15 to June 15	2 to 3 ft. apart
	12. NAIAS; BUSHY PONDWEED ( <i>Naias flexilis</i> ).—Fine all around duck food and fish food and cover.	1 to 15 ft. fresh or brackish water having lime.	Plants with oogonia (Seed)	July 20 to Dec. 1	July 20 to Feb. 15	4 Bu.
	13. PICKEREL PLANT ( <i>Pontederia cordata</i> )—Duck food. A handsome ornamental plant. Purple flowers.	1 to 6 ft. water. Any except rocky soil.	Plants with seed	July 20 to Dec. 1	July 20 to Dec. 1	5 Bu.
14. POND PLANT, FLOATING BROWN LEAF ( <i>Potamogeton natans</i> ).—Attracts Wild Ducks and fish.	15. REDHEAD GRASS ( <i>Potamogeton perfoliatus</i> )—Submerged. Wildfowl and fish food. Good fish cover	1 to 3 ft. water. Fairly rich soil.	Roots or Plants	May 1 to Aug. 1	May 1 to Aug. 1	600
	16. REED GRASS; 'CANES' ( <i>Phragmites communis</i> )—Waterfowl cover. Blinds. 8 ft. high. Ornamental	Fresh or brackish water 1 to 4 1/2 feet deep.	Seed	Aug. 15 to Nov. 1	Aug. 15 to Nov. 1	40 Lbs.
	17. SAGO POND PLANT ( <i>P. pectinatus</i> )—Fine duck food. Ideal fish food and cover. Submerged.	1 to 8 feet fresh water. Fairly rich bottom.	Roots	Apr. 1 to July 15	Apr. 1 to July 15	1200
18. SMARTWEED ( <i>Polygonum pennsylvanicum</i> )—Good wild duck, quail and ruffed grouse food.	19. WATER CRESS ( <i>Sisymbrium nasturtium-aquaticum</i> )—Duck food. Green all winter in unfrozen streams. Use in salads and sandwiches; like peppers or radishes; or a garnish. Ornamental.	1/2 to 2 ft. water. Wet places. Any soil.	Roots	Apr. 1 to July 1	Apr. 1 to July 1	1200
	20. THALIA ( <i>Thalia sp.</i> )—Good Mallard attraction. Ornamental. Very showy. 6 to 10 ft. high. Cannalike leaves. Purple flowers.	1 to 10 ft. hard, fresh, brackish or alkali water.	Tubers or Plants Seed Seed Plants	April 1 to July 1 Aug. 10 to Nov 1 Oct. 1 to July 15 Apr. 1 to July 1	Feb. 1 to July 15 Aug. 10 to Nov. 1 Oct. 1 to July 15 Apr. 1 to July 1	1200 40 Lbs. 40 Lbs. 3,000
	21. VIOLET, BLUE WISCONSIN ( <i>Viola papilionacea</i> )—Favorite wild flower. Deep blue.	Land along shores, wet soil, mud flats.	Plants or Roots	Apr. 10 to June 15	Feb. 15 to June 15	3 ft. apart.
22. WAMPEE; WATER ARUM ( <i>Peltandra virginica</i> )—Attracts, Mallards, Wood Ducks. Ornamental.	23. WAPATO DUCK POTATO; ( <i>Sagittaria latifolia</i> )—Attracts all waterfowl. Ornamental. Arrow-shaped leaves; white and yellow flowers. Grows rapidly.	Fairly rich moist soil.	Plants	Apr. 10 to June 25	Apr. 10 to June 25	9 inches apart.
	24. WATER CRESS ( <i>Sisymbrium nasturtium-aquaticum</i> )—Duck food. Green all winter in unfrozen streams. Use in salads and sandwiches; like peppers or radishes; or a garnish. Ornamental.	Marsh, Swamp. Up to 18 in. water.	Plants	May 1 to July 1	Apr. 15 to July 1	2 ft. apart.
	25, 26, 27, 28, WATER LILLIES ( <i>Nymphaeaceae</i> )—Attract waterfowl. Provide food and shelter for fish. Ornamental. Handsome flowers. (See price list for varieties available and descriptions).	Shallow waters 1 inch to 18 inches deep; marshy, muddy spots.	Tubers or Plants	Mar. 15 to July 15	Feb. 15 to Aug. 1	1000 to 1500
29. WATER MILFOIL ( <i>Myriophyllum sp.</i> )—Excellent for fish ponds—aquariums. Attracts waterfowl	30. WATER WEED, ELODEA ( <i>Philotria canadensis</i> )—For fish ponds, aquariums, duck farms. Rapid grower	Shallow streams, springs, fountains, 1 to 3 inches water remaining open in winter.	Plants	Mar. 1 to Nov. 15 Apr. 15 to Aug. 1	Mar. 1 to Aug. 15	1000 3 Lbs.
	31. WIDGEON GRASS ( <i>Ruppia sp.</i> )—Submerged wild duck food for alkali or brackish water.	Tubers or plants, 1 to 4 ft. quiet, warm water.	Tubers-Plants All varieties	Apr. 1 to July 15	Apr. 1 to July 15	750
	32. WILD CELERY; TAPE GRASS; ( <i>Vallisneria spiralis</i> )—Unfailing attraction for Canvasbacks, Redheads Blue-bills. Best fishing where it grows, provides food shelter; keeps water fresh and clear insuring more fish reaching maturity. Submerged.	Seeds—Shallow water or start in tubs.	Lotus Seed N. advena seed	Mar. 1 to June 15 Aug. & Sept.	Oct. 1 to July 1 Aug. & Sept.	15 Lbs. 10 Qts.
33. WILD DUCK MILLET; GOOSE GRASS ( <i>Echinochloa crus-galli</i> )—Food and cover for domesticated and wild waterfowl, quail, etc. Blinds. Matures 3 mo.	34. WILD RICE; DUCK OATS. ( <i>Zizania aquatica</i> and <i>Z. palustris</i> )—Exceptionally fine attraction for Mallards, Teal Pintails Black Ducks, Geese, Fish. Attractive clumps and backgrounds for water gardens.	1 to 4 ft. quiet water. Fairly rich soil.	Plants	May 15 to July 1	May 15 to July 10	7 Bu.
	35. WILLOW ( <i>Salix sp.</i> ) Trees or shrubs adapted to wet soil for cover, blinds, shade. Rapid grower Shade and keep trout streams cool.	Quiet ponds streams or bays 1 to 8 ft. deep.	Plants	June 1 to Sept. 1	June 1 to Nov. 20	10 Bu.
		1 to 5 ft. brackish or saline water.	Roots or Plants	May 1 to July 1	May 1 to July 1	5 Bu.
		1 1/2 to 12 feet hard, fresh, or slightly brackish water. Sand, loam or mud soil. Soft rich soil and 2 to 7 feet water best.	Winter buds (Tubers) or Plants	Mar. 20 to July 20	Mar. 20 to Aug. 1	1200
		Moist soil—not under water in summer. Mud flats.	Seed	Sept. 15 to Nov. 1	Sept. 15 to Nov. 1	30 Lbs.
		Partly sheltered, sunny, bay or pond with outlet. 1/2 to 3 ft. water, not salty to taste, or over 6 ft. higher in high than in low periods. Hard water best.	Seed	Apr. 1 to July 10	Mar. 1 to Aug. 1	20 Lbs.
		Almost any soil containing some moisture.	Plants Cuttings	Sept. 15 to June 15 When waters May 15 to June 20 Apr. 1 to July 1	Sept. 15 to June 15 not frozen. May 15 to June 20 Mar. 1 to July 1	60 Lbs. 5,000 2 to 3 ft. apart